

## Special Waste Application

The Contaminated Soil/Special Waste Program operated by ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION accepts only non-hazardous solid waste as outlined in Alberta Environment's Waste Control Regulation (192/96). Hazardous wastes, hazardous oilfield wastes, and liquid wastes are not accepted. ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION retains the right to deny the acceptance of any waste that they deem is not in their best interests to accept.

#### APPLICATION PROCEDURE

Contaminated soils are accepted on an application basis only using the attached "Special Waste Disposal Application" form. Each application must be accompanied by any necessary backup information (e.g. samples, laboratory reports, sampling procedures, site maps, etc.), and applications must be signed by a qualified Professional Engineer, Geologist, Geophysicist, Agrologist, or Biologist (P.Eng., P.Geol., P. Geoph., P.Ag., or P.Biol.).

The Waste Generator or their Agent is responsible for fully characterizing the waste in accordance with provincial regulations and guidelines. The Generator/Agent will be held responsible for any compliance action and/or costs resulting from incorrect characterization/classification of the waste.

Under certain circumstances, it may be acceptable to issue an approval for a material that is generated on an ongoing basis. In this case, the approval will be issued for a maximum of one year. Upon its expiry, a new application with updated sampling and analytical data must be submitted to obtain another approval. If, at some time during the period for which an ongoing approval was issued, the nature of the material changes from the analytical information provided in the original application, the Waste Generator/Agent must submit a new application for review.

### ACCEPTANCE AT SITE

Approved contaminated soils are accepted at the Landfill/Facility site, weather permitting, during normal operating hours and within the dates specified on the approval letter (unless otherwise authorized). Waste Generators/Applicants or their haulers are required to provide the Landfill/Facility with 24 hour's notice prior to commencing hauling.

To ensure compliance, soil shipments are subject to random verification screening upon arrival to confirm the accuracy of the information provided by the Waste Generator/Applicant in their Special Waste Disposal Application.

All testing and verification testing shall be done be done by the Waste Generator/Applicant at no additional cost the Commission.

- i. For routine process byproduct materials (e.g. produces sand), One test for every 5,000 tonnes to be delivered, with a minimum of three tests per project.
- ii. For well sites and tank farm cleanups, one test for every 2,000 tonnes to be delivered, with a minimum of two tests per project
- iii. For any project under 500 tonnes, one representative test will normally work.

Note: Generator will supply test results to ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION on an ongoing basis

APPLICATION PAGE 1 OF 3

**UPDATED: JANUARY 2021** 



In the event that discrepancies arise between the application and the verification testing, the soils may be re-sampled, subject to a surcharge, and/or removed from the site, at the Waste Generator's expense.

### PROCESSING FEE, ACCOUNTS & INVOICING

An application processing fee of \$200.00 is payable upon submission of the Special Waste Disposal Application and prior to shipping documents being provided.

Invoices for the acceptance of the contaminated soils will be issued by the Commission to the Waste Generator monthly, unless otherwise stated.

In the event that my account is unpaid by the 30th day following the date of the invoice, I/we herby authorize the Roseridge Waste Management Services Commission to add to the account a service charge of 1.5% per month on all amounts not paid within the above period and agree to pay such charges.

### **CONFIDENTIALITY**

The Landfill which ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION owns and operates is considered to be a "pubic body," and the information submitted as part of the Special Waste Program, whether the application is approved or denied, is therefore subject to the Freedom of Information and Privacy (FOIP) Act and accompanying regulations. It is the responsibility of the Landfill Commission to ensure that the information provided is managed in accordance with FOIP, and that the confidentiality of the Waste Generator/Applicant within the FOIP structure is upheld and respected at all times.

APPLICATION PAGE 2 OF 3

**UPDATED: JANUARY 2021** 



Expires: 12/31/2021

# **2021 Special Waste Disposal Application**

One application form must be completed by the Waste Generator/Owner or its Authorized Agent (as stated in writing) for each waste type and signed by a designated professional (P.Eng., P.Geol., P. Geoph., P.Ag., or P.Biol.). The completion of this application does not in any way automatically provide approval for the disposal of any waste product. Approval may or may not be given for the disposal of any waste by order of the designated Waste Commission. *Please print clearly.* 

A. DISPOSAL SITE REC	QUESTED		B. AT	TACHMENTS				
☐ Roseridge Regional Landfill			☐ Laboratory Analysis			□ MSDS		
<u> </u>			☐ Agent Authorization			☐ Processing Fee		
			☐ Site/Sample Map			☐ Representative Sample		
			☐ Oth	er:				
C. APPLICANT INFORMA	ATION			D. GENERATOR	/OWNER	INFORM	ATION	
Company:				Company:				
Contact:				Contact:				
Address:				Address:				
City: Prov:	ty: Prov: Postal Code		e	City:	Prov:		Postal Code	
Tel:	Fax:			Tel:	•	Fax:	•	
E. BILLING INFORMAT	ON							
Invoice Disposal Fees To: ☐ applicant ☐ generator/owner ☐ other (provide info below)				Invoice Processing Fee (\$200.00) To:  ☐ applicant ☐ generator/owner ☐ other (provide info below)				
Company:				Company:				
Contact:				Contact:				
Address:				Address:				
City:	Prov:	r: Postal Code		City:		Prov:	Postal Code	
Tel:	Fax:			Tel: Fax:				
PO/Project #:			PO/Project #:					
				ı				
F. SHIPPING INFORMA	TION							
Quantity (show units):				Shipper/Contracto	or:			
Shipment Method: ☐ Bulk ☐ Bag ☐ Drums ☐ Other			Hauler (if differs from above):					
Shipping Frequency:	☐ One Tim☐ Monthly		Veekly Innual	Proposed Delivery From:	Dates:	To:		
G. WASTE TYPE								
☐ Soil Containing Hydrocarbon					☐ Pro	duced Sar	nd	
☐ Other:								
Source/Generating Proces	ss:							
Job Site:								

PAGE 1 OF 4



Expires: 12/31/2021

H. WASTE CLASSIFICATION					
Is the waste a hazardous waste as defined by the Waste Control Regulation? ☐ Yes ☐ No					
Is the waste a dangerous oilfield waste as per EUB regulations/guidelines? ☐ Yes ☐ No					
Is the waste a dangerous g			☐ Yes ☐ No		
If yes: Shipping Name:		Classification:		PIN:	
T DHYSTCAL /CHEMICAL	DDODEDTIES				
I. PHYSICAL/CHEMICAL	PROPERTIES	pH:	1 = 0	10.0	
	Physical State:  ☐ Dry Solid ☐ Liquid ☐ Dust/Powder		EC:	SAR:	
			PCB:	Chloride:	
☐ Sludge (%solic		Density: Flashpoint:	☐ <61′C	kg/m3 □ >61'C	
☐ Other:	,	<u> </u>	1 Yes	□ No	
Odour: 🗆 none 🗆 sligh	t 🗆 strong	Recommended/Spe		_ ;,	
Describe:	c <u> </u>	recommended, ope	zeiai Hariannig	, requirements	
Soil: Fine Grained	Course Grained				
J. CHEMICAL CONSTITUE					
Chemical/Compound	Concentration & units	Chemical/Cor	mpound	Concentration & units	
<u> </u>					
				+	
K. DECLARATION					
I hereby certify that the information provided in this application and accompanying documents is accurate and complete, and that no deliberate or willful omissions of information exist. The analytical data provided is representative of the waste to be shipped to the landfill facility, and samples were collected, preserved, and analyzed in a manner consistent with AEP/EUB requirements and ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION's Special Waste Application and Approval Policy. All known or suspected contaminants and hazards have been identified, and the waste is not classified as a hazardous waste, dangerous oilfield waste, or liquid waste under Alberta Environmental Protection or EUB regulations and guidelines.  I agree to comply with the standard terms, conditions, policies and procedures of ROSERIDGE WASTE MANAGEMENT SERVICES COMMISSION and the landfill site and acknowledge that the Shipper has knowledge of all regulations, restrictions, and/or agreements for the acceptance of this material and agrees to abide by the said regulations, restrictions, and/or agreements. I further acknowledge that the Waste Generator and/or their Agents will be held responsible for any compliance action and/or incurred costs resulting from incorrect characterization/classification of the waste.  Name & Professional Designation (print):  Seal:  Signature:  Date:					
L. APPROVAL INFORMATION (office use only)					
☐ Approved ☐ Denied	ments/Instructions:				
Access Code:	ment:				
Date:	ature:				
ACCOUNT APPROVED: Y OR N CONE		DITIONS:			

PAGE 2 OF 4



Expires: 12/31/2021

## 2021 Special Waste Chemical Analysis Chart

The "Applicant Data" section of the following chart is to be **completed**, **signed** and **dated** by the applicant. Please provide the **worst-case** values from the results of the laboratory tests. **Attach laboratory results to this form and submit with the application for review.** If you are using a composite sample, please indicate below:

IS SAMPLE COMPOSITE? YES  $\square$  NO  $\square$ 

of Sam		er Analysis rovided)	CCME <sup>1</sup> Fraction Industrial Land Use ( soils )		Landfill Policy			Detection
Criteria	Applicant Data	Office Use	Fine Grained	Course Grained	Daily Cover	Accepted as waste	Units	Limit
CCME TOTAL HYDROCARBON	NS							
F-1 (C6-C10)			<320	<320		NH	mg/kg	5
F-1 BTEX						NH	mg/kg	5
F-2 (C10-C16)			<1500	<760		NH	mg/kg	5
F-3 (C16-C34)			<2500	<1700		NH	mg/kg	5
F-4 (C34-C50)			<6600	<3300		NH	mg/kg	5
Total Hydrocarbons (C6-C50)						NH	mg/kg	5
SCH Soils / Any Location					<20000	NH	mg/kg	
Chrome. To Baseline at nC50						NH		
TEX					•	•	•	
Benzene			<310	<180	<55	NH	mg/kg	0.01
Toluene			<330	<250	<340	NH	mg/kg	0.01
Ethylbenzene			<430	<300	<400	NH	mg/kg	0.01
Xylenes			<230	<350	<130	NH	mg/kg	0.01
SASIC								
Moisture						nt filter test e liquid	%	0.1
Flash Point					>61	>61	С	
рН					5.0 - 12.0	2.5 - 12.5	pН	0.1
pH for Final/ Intermediate Cover					6.0 - 8.5		pН	
OTHER								
Chlorides					3,000		mg/kg	
Lead					<600		mg/kg	2
Lead for Final cover					<50	N/A/	mg/kg	
Leachable lead / any usage / total>50 mg/kg					<5	<5	mg/L	0.05

<sup>&</sup>lt;sup>1</sup> Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil, Table 2 Summary of Tier 1 Levels (mg/kg) for surface soil, 2001, Winnipeg, Table Revised January 2008

PAGE 3 OF 4



### TCLP LEACHABLE METALS

Metal	Worst Case (Per Analysis of Samples provided)	Table 1 WCR Hazardous Waste Limit (1996) <sub>1,2,4</sub> (mg/l)		
	Applicant Data			
Silver (Ag)		5		
Arsenic (As)		5		
Boron (B)		500		
Barium (Ba)		100		
Beryllium (Be)		5		
Cadmium (Cd)		1		
Cobalt (Co)		100		
Chromium (Cr)		5		
Copper (Cu)		100		
Iron (Fe)		1000		
Mercury (Hg)		0.2		
Nickel (Ni)		5		
Lead (Pb)		5		
Antimony (Sb)		500		
Selenium (Se)		1		
Thallium (TI)		5		
Uranium (U)		2		
Vanadium (V)		100		
Zinc (Zn)		500		
Zirconium (Zr)		500		

### TCLP LEACHABLE BTEX

Expires: 12/31/2021

Constituent	Worst Case (Per Analysis of Samples provided)	Table 1 WCR Hazardous Waste Limit (1996) 1,2,4.		
Constituent	Applicant Data	(1990) 1,2,4. (mg/l)		
Benzene		0.5		
Toluene		0.5		
Ethylbenzene		0.5		
Xylenes		0.5		

- Alberta User Guide for Waste Managers, Table 2: Schedule 1, Section 1(g) Substances, Hazardous Waste Limits Control Regulation
- Where no limit is indicated in these tables, resources do not report a limit for that metal.
- NC denotes no designated substance limits in Alberta User Guide for Waste Managers
- NH Non-Hazardous / Alberta User Guide for Waste Managers, Table 2: Schedule 1, Section 1(g) Substances, Hazardous Waste Limits Control Regulation
- Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil, Table 2 Summary of Tier 1 Levels (mg/kg) for surface soil, 2001, Winnipeg, Table Revised January 2008

Name (Please Print)	Signature
(	g
Date:	

PAGE 4 OF 4